

*Interference Searched***EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((pre-read or preread) near2 management).clm.	US-PGPUB	OR	OFF	2006/10/26 10:51
L2	6	((pre-read or preread or preload or pre-load or prefetch or pre-fetch) near2 management).clm.	US-PGPUB	OR	OFF	2006/10/26 10:51
L3	6	((pre-read or preread or preload or pre-load or prefetch or pre-fetch or readahead or read-ahead) near2 management).clm.	US-PGPUB	OR	OFF	2006/10/26 10:52
L4	316	((pre-read or preread or preload or pre-load or prefetch or pre-fetch or readahead or read-ahead) near2 (data or information)).clm.	US-PGPUB	OR	OFF	2006/10/26 10:52
L5	58	((pre-read or preread or preload or pre-load or prefetch or pre-fetch or readahead or read-ahead) near2 (data or information) near5 (buffer or register or FIFO)).clm.	US-PGPUB	OR	OFF	2006/10/26 10:53
L6	0	((pre-read or preread or preload or pre-load or prefetch or pre-fetch or readahead or read-ahead) near2 (data or information) near5 (buffer or register or FIFO) near10 flash).clm.	US-PGPUB	OR	OFF	2006/10/26 10:53
L7	1	((pre-read or preread or preload or pre-load or prefetch or pre-fetch or readahead or read-ahead) near2 (data or information) near5 (buffer or register or FIFO) near10 (flash or nonvolatile or non-volatile)).clm.	US-PGPUB	OR	OFF	2006/10/26 10:55
L8	0	((pre-read or preread or preload or pre-load or prefetch or pre-fetch or readahead or read-ahead) near2 (table or list or structure) near5 (buffer or register or FIFO) near10 (flash or nonvolatile or non-volatile)).clm.	US-PGPUB	OR	OFF	2006/10/26 10:54
L9	0	((pre-read or preread or preload or pre-load or prefetch or pre-fetch or readahead or read-ahead) near2 (table or list or structure) near5 (flash or nonvolatile or non-volatile)).clm.	US-PGPUB	OR	OFF	2006/10/26 10:54
L10	51	((pre-read or preread or preload or pre-load or prefetch or pre-fetch or readahead or read-ahead) near2 (table or list or structure)).clm.	US-PGPUB	OR	OFF	2006/10/26 10:54

EAST Search History

L11	4	((pre-read or preread or preload or pre-load or prefetch or pre-fetch or readahead or read-ahead) near2 (table or list or structure) with buffer).clm.	US-PGPUB	OR	OFF	2006/10/26 10:56
L12	3	((pre-read or preread or preload or pre-load or prefetch or pre-fetch or readahead or read-ahead) near2 (management) with buffer).clm.	US-PGPUB	OR	OFF	2006/10/26 10:56

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	nonvolatile same (buffer or FIFO or queue) same (preread near2 managemnt near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:57
L2	0	(buffer or FIFO or queue) same (preread near2 managemnt near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:58
L3	4	(buffer or FIFO or queue) same (preread near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:00
L4	8	(buffer or FIFO or queue) same (preread near5 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:03
L5	17	(buffer or FIFO or queue) same ((preread or pre-fetch) near2 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:12
L6	27	(buffer or FIFO or queue) same ((preread or pre-read or pre-fetch) near2 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:14
L7	13	(buffer or FIFO or queue) same ((preread or pre-read or pre-fetch) near10 (nonvolatile or non-volatile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:17

EAST Search History

L8	21	((pre-read or preread) near2 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:22
L9	17	((pre-read or preread or pre-fetch or prefetch) near2 management) near2 (table or list or queue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:23
L10	1	((((pre-read or preread or pre-fetch or prefetch) near2 management) near2 (table or list or queue)) near10 (nonvolatile or flash)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:23
L11	120	(pre-read or preread or pre-fetch or prefetch) near10 (nonvolatile or flash)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:24
L12	120	(pre-read or preread or pre-fetch or prefetch) near10 (nonvolatile or flash or EPROM or EEPROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:24
L13	27	(pre-read or preread) near10 (nonvolatile or flash or EPROM or EEPROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:30
L14	6	(pre-read or preread) with (nonvolatile or non-volatile or flash or EPROM or EEPROM) with (buffer or FIFO or queue or registe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:31

EAST Search History

L15	6	(pre-read or preread) with (nonvolatile or non-volatile or flash or EPROM or EEPROM) with (buffer or FIFO or queue or registre or RAM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:35
L16	21	(pre-read or preread) near2 management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:45
L17	18	(pre-read or preread or prefetch or pre-fetch) near2 management near2 (table or list or queue or structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 09:56
L18	441	(711/213).CCLS.	USPAT; USOCR	OR	OFF	2006/10/26 09:56
L19	1081	(711/103).CCLS.	USPAT; USOCR	OR	OFF	2006/10/26 09:56
L20	683	(711/137).CCLS.	USPAT; USOCR	OR	OFF	2006/10/26 10:00
L21	222	(711/204).CCLS.	USPAT; USOCR	OR	OFF	2006/10/26 10:00
L22	3248	(flash or non-volatile or nonvolatile) with buffer with control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:02
L23	14	(flash or non-volatile or nonvolatile) with buffer with control\$4 with (preread\$3 or pre-read\$3 or prefetch\$3 or pre-fetch\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:03
L24	2	(flash or non-volatile or nonvolatile) with ((preread\$3 or pre-read\$3 or prefetch\$3 or pre-fetch\$3) near5 (table or list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:05

EAST Search History

L25	97	(flash or non-volatile or nonvolatile or EEPROM or EPROM or ROM or PROM) with (preread\$3 or pre-read\$3 or prefetch\$3 or pre-fetch\$3 or proload\$3 or pre-load\$3) with (buffer or register or FIFO)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:07
L26	2	18 and 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:06
L27	2	19 and 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:07
L28	4	20 and 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:07
L29	1	21 and 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:07
L30	2	(flash or non-volatile or nonvolatile or EEPROM or EPROM or ROM or PROM) with ((preread\$3 or pre-read\$3 or prefetch\$3 or pre-fetch\$3 or proload\$3 or pre-load\$3) near2 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:10
L31	296	((preread\$3 or pre-read\$3 or prefetch\$3 or pre-fetch\$3 or proload\$3 or pre-load\$3) near2 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:11

EAST Search History

L32	11	((preread\$3 or pre-read\$3 or prefetch\$3 or pre-fetch\$3 or proload\$3 or pre-load\$3) near2 management near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:12
L33	11	((preread\$3 or pre-read\$3 or prefetch\$3 or pre-fetch\$3 or proload\$3 or pre-load\$3 or readahead or read-ahead) near2 management near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:13
L34	65	((preread\$3 or pre-read\$3 or prefetch\$3 or pre-fetch\$3 or proload\$3 or pre-load\$3 or readahead or read-ahead) near2 management near2 (data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:14
L35	26	((preread\$3 or pre-read\$3 or prefetch\$3 or pre-fetch\$3 or proload\$3 or pre-load\$3 or readahead or read-ahead) near2 management near2 (data or information)) with (buffer or register or FIFO)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:17
L36	1199	(711/202).CCLS.	USPAT; USOCR	OR	OFF	2006/10/26 10:17
L37	631	(711/203).CCLS.	USPAT; USOCR	OR	OFF	2006/10/26 10:17
L38	258	(711/205).CCLS.	USPAT; USOCR	OR	OFF	2006/10/26 10:17
L39	797	(711/206).CCLS.	USPAT; USOCR	OR	OFF	2006/10/26 10:19
L40	1604	(711/154).CCLS.	USPAT; USOCR	OR	OFF	2006/10/26 10:20
L41	0	31 and 36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:20

EAST Search History

L42	0	31 and 37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:20
L43	1	31 and 38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:20
L44	0	31 and 39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:20
L45	3	31 and 40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:20